



Now Compatible With the RED Family









43

.043" ID

1.52 mm (.060") OD 160 cm and 138 cm Lengths 62

.062" ID

1.93 mm (.076") OD

138 cm Length 68

.068" ID

2.13 mm (.084") OD

132 cm Length .072" ID

2.16 mm (.085") OD

132 cm Length

Photographs taken by and on file at Penumbra, Inc. Prior to use, please refer to the Instructions for Use for complete product indications, contraindications, warnings, precautions, potential adverse events, and detailed instructions for use.





72

Committed to Innovation

Designed for Enhanced Compatibility and Increased Distal Aspiration

.043" Lumen

Delivers powerful distal aspiration

1.52 mm (.060") Outer Diameter

Low profile and atraumatic design for distal deliverability

Precision Tip

Articulating
marker band with
short polymer
tip for optimal
visualization and
placement

REDglide™ Technology

Designed to enhance delivery in tortuosity





Penumbra System, Advanced

With
BENCHMARK™
BMX®
Neurovascular
Access System
and
RED Reperfusion
Catheters®

a. Compatible with RED 43 160 cm length.

Photographs taken by and on file at Penumbra, Inc. Devices shown at same scale. Procedural and operative techniques and considerations are illustrative examples from physician experience. Physicians' treatment and technique decisions will vary based on their medical judgment. Individual results may vary depending on patient-specific attributes and other factors. Prior to use, please refer to the Instructions for Use for complete product indications, contraindications, warnings, precautions, potential adverse events, and detailed instructions for use. Copyright ©2023 Penumbra, Inc. All rights reserved. The Penumbra P logos, RED, Penumbra System, MAX, ACE, Penumbra JET, Penumbra ENGINE, REDglide, BENCHMARK, BMX, BMX81, BMX96, Separator, 3D, and 3D Revascularization Device are registered trademarks or trademarks of Penumbra, Inc. in the USA and other countries. All other trademarks are the property of their respective owners. 25616, Rev. B 1023 USA

